




ALL CNC

Shipping Dimensions, Weight, and Crating Information

Domestic / Export Pallet



Export Crate



This document provides the weight and shipping dimensions for Haas Automation mills, lathes, and rotary products. The weight listed for a machine may be off by as much as +/- 5% due to option selection, casting variations, and even the moisture content of the wooden crates surrounding the machine.

The domestic pallet shipping method is the most common and is comprised of a wooden base to which the machine is bolted. The weight listed for each machine is based on the domestic pallet shipping configuration. If a configuration has an N/A in the cell, the machine does not ship in the way.

The domestic and export shipping crates consist of the wooden base as well as walls and a roof. All options and accessories are located within this shipping crate unless otherwise noted.

Contents

Vertical Machining Centers	2
Horizontal Machining Centers	8
Lathes	9
Other Products.....	10
Rotary Products.....	11



Shipping Dimensions, Weight, and Crating Information

Vertical Machining Centers					
	Domestic Pallet L x W x H	Export Pallet L x W x H	Export Crate L x W x H	Weight	
OM-2A	79 x 52 x 86 in	79 x 52 x 86 in	N/A	2,100 lb	OM-2A
	201 x 132 x 218 cm	201 x 132 x 218 cm	N/A	955 kg	
DT-1 DM-1	102 x 72 x 101 in	102 x 72 x 101 in	N/A	6,000 lb	DT-1 DM-1
	259 x 183 x 257 cm	259 x 183 x 257 cm	N/A	2,750 kg	
DT-2 DM-2	102 x 91 x 100 in	102 x 91 x 100 in	N/A	6,300 lb	DT-2 DM-2
	259 x 183 x 257 cm	259 x 183 x 257 cm	N/A	2,870 kg	
MM SMM	91 x 64 x 99 in	91 x 64 x 99 in	N/A	4,000 lb	MM SMM
	231 x 163 x 251 cm	231 x 163 x 251 cm	N/A	1820 kg	
MM2 SMM2	92 x 88 x 101 in	92 x 88 x 101 in	N/A	5,100 lb	MM2 SMM2
	234 x 224 x 257 cm	234 x 224 x 257 cm	N/A	2,315 kg	
TM-1 TM-1P	102 x 84 x 96 in	102 x 84 x 96 in	N/A	4,500 lb	TM-1 TM-1P
	259 x 214 x 244 cm	259 x 214 x 244 cm	N/A	2,050 kg	
TM-2 TM-2P	130 x 80 x 98 in	130 x 80 x 98 in	N/A	5,200 lb	TM-2 TM-2P
	330 x 203 x 249 cm	330 x 203 x 249 cm	N/A	2,360 kg	
TM-3 TM-3P	128 x 90 x 96 in	128 x 90 x 96 in	N/A	6,200 lb	TM-3 TM-3P
	325 x 229 x 244 cm	325 x 229 x 244 cm	N/A	2,815 kg	
VF-1	103 x 102 x 106 in	98 x 92 x 101 in	N/A	7,800 lb	VF-1
	262 x 259 x 269 cm	249 x 234 x 257 cm	N/A	3,550 kg	
VF-1YT	107 x 102 x 106 in	100 x 92 x 101 in	N/A	8,000 lb	VF-1YT
	272 x 259 x 269 cm	254 x 234 x 257 cm	N/A	3,630 kg	
VF-2 VF-2SS	103 x 102 x 106 in	98 x 92 x 101 in	N/A	7,800 lb	VF-2 VF-2SS
	262 x 259 x 269 cm	249 x 234 x 257 cm	N/A	3,550 kg	
VF-2SSYT VF-2YT	107 x 102 x 106 in	100 x 92 x 101 in	N/A	7,800 lb	VF-2SSYT VF-2YT
	272 x 259 x 269 cm	254 x 234 x 257 cm	N/A	3,550 kg	
VF-2SSYT VF-2YT 40+1 SMTC	107 x 102 x 110 in	N/A	107 x 102 x 116 in	8,100 lb	VF-2SSYT VF-2YT 40+1 SMTC
	272 x 259 x 279 cm	N/A	272 x 259 x 295 cm	3,700 kg	
VF-2TR	103 x 102 x 106 in	98 x 92 x 101 in	N/A	8,300 lb	VF-2TR
	262 x 259 x 269 cm	249 x 234 x 257 cm	N/A	3,775 kg	



Shipping Dimensions, Weight, and Crating Information

Vertical Machining Centers					
	Domestic Pallet L x W x H	Export Pallet L x W x H	Export Crate L x W x H	Weight	
VF-3 VF-4	152 x 102 x 109 in	140 x 92 x 101 in	N/A	13,500 lb	VF-3 VF-4
	386 x 259 x 277 cm	356 x 234 x 257 cm	N/A	6,125 kg	
VF-3YT	156 x 102 x 125 in	N/A	156 x 102 x 127 in	15,000 lb	VF-3YT
	396 x 259 x 318 cm	N/A	396 x 259 x 323 cm	6,820 kg	
VF-3YT/50	156 x 102 x 125 in	N/A	156 x 102 x 127 in	16,500 lb	VF-3YT/50
	396 x 259 x 318 cm	N/A	396 x 259 x 323 cm	7,500 kg	
VF-3SS VF-4SS	152 x 101 x 111 in	140 x 92 x 101 in	N/A	13,500 lb	VF-3SS VF-4SS
	386 x 257 x 282 cm	356 x 234 x 257 cm	N/A	6,125 kg	
VF-3SSYT	156 x 102 x 125 in	N/A	156 x 102 x 127 in	15,700 lb	VF-3SSYT
	396 x 259 x 318 cm	N/A	396 x 259 x 323 cm	7,140 kg	
VF-4SS 40+1 SMTC	152 x 102 x 119 in	N/A	147 x 96 x 126 in	13,800 lb	VF-4SS 40+1 SMTC
	386 x 259 x 302 cm	N/A	373 x 244 x 320 cm	6,260 kg	
VF-5/40	168 x 101 x 113 in	N/A	168 x 102 x 125 in	15,200 lb	VF-5/40
	427 x 257 x 287 cm	N/A	427 x 259 x 318 cm	6,910 kg	
VF-5/40TR	168 x 101 x 113 in	N/A	168 x 102 x 125 in	15,800 lb	VF-5/40TR
	427 x 257 x 287 cm	N/A	427 x 259 x 318 cm	6,860 kg	
VF-5/40XT	168 x 102 x 113 in	N/A	168 x 102 x 125 in	15,600 lb	VF-5/40XT
	427 x 259 x 287 cm	N/A	427 x 259 x 318 cm	7,090 kg	
VF-5/40 40+1 SMTC VF-5/50	168 x 102 x 125 in	N/A	168 x 102 x 130 in	16,110 lb	VF-5/50
	427 x 259 x 318 cm	N/A	427 x 259 x 330 cm	7,320 kg	
VF-5/50TR	168 x 102 x 125 in	N/A	168 x 102 x 130 in	16,700 lb	VF-5/50TR
	427 x 259 x 318 cm	N/A	427 x 259 x 330 cm	7,590 kg	
VF-5/50XT	168 x 102 x 125 in	N/A	168 x 102 x 130 in	17,200 lb	VF-5/50XT
	427 x 259 x 318 cm	N/A	427 x 259 x 330 cm	7,820 kg	
VF-5SS	168 x 102 x 113 in	N/A	168 x 102 x 125 in	15,600 lb	VF-5SS
	427 x 129 x 287 cm	N/A	427 x 259 x 318 cm	7,090 kg	



Shipping Dimensions, Weight, and Crating Information

Vertical Machining Centers				
	Domestic Pallet L x W x H	Export Crate L x W x H	Weight	
VF-6/40	195 x 102 x 130 in	195 x 105 x 131 in	22,300 lb	VF-6/40
	495 x 259 x 330 cm	495 x 267 x 333 cm	10,115 kg	
VF-6/40 EC8 option	195 x 102 x 138 in	195 x 105 x 141 in	22,600 lb	VF-6/40 EC8 option
	495 x 259 x 351 cm	495 x 267 x 358 cm	10,250 kg	
VF-6/40TR	195 x 102 x 138 in	195 x 105 x 141 in	26,100 lb	VF-6/40TR
	495 x 259 x 351 cm	495 x 267 x 358 cm	11,865 kg	
VF-6/40TR EC8 option	195 x 102 x 138 in	195 x 105 x 141 in	26,380 lb	VF-6/40TR EC8 option
	495 x 259 x 351 cm	495 x 267 x 358 cm	11,990 kg	
VF-6/50	195 x 102 x 131 in	195 x 105 x 134 in	25,500 lb	VF-6/50
	495 x 259 x 333 cm	495 x 267 x 340 cm	11,570 kg	
VF-6/50 EC8 option	195 x 102 x 139 in	195 x 105 x 143 in	25,800 lb	VF-6/50 EC8 option
	495 x 259 x 353 cm	495 x 267 x 363 xm	11,700 kg	
VF-6/50TR	195 x 102 x 139 in	195 x 105 x 143 in	26,460 lb	VF-6/50TR
	495 x 259 x 353 cm	495 x 267 x 363 cm	12,020 kg	
VF-6/50TR EC8 option	195 x 102 x 139 in	195 x 105 x 143 in	26,800 lb	VF-6/50TR EC8 option
	495 x 259 x 353 cm	495 x 267 x 363 cm	12,180 kg	
VF-6SS	195 x 102 x 130 in	195 x 105 x 131 in	22,400 lb	VF-6SS
	495 x 259 x 330 cm	495 x 267 x 333 cm	10,160 kg	
VF-6SS EC8 option	195 x 102 x 138 in	195 x 105 x 140 in	22,700 lb	VF-6SS EC8 option
	495 x 259 x 351 cm	495 x 267 x 356 cm	10,300 kg	
VF-7/40	214 x 102 x 130 in	214 x 105 x 132 in	26,000 lb	VF-7/40
	544 x 259 x 330 cm	544 x 267 x 335 cm	11,820 kg	
VF-7/40 EC8 option	214 x 102 x 137 in	214 x 105 x 142 in	26,500 lb	VF-7/40 EC8 option
	544 x 259 x 348 cm	544 x 267 x 361 cm	12,045 kg	
VF-7/50	214 x 102 x 131 in	214 x 106 x 134 in	25,600 lb	VF-7/50
	544 x 259 x 333 cm	544 x 269 x 340 cm	11,615 kg	
VF-7/50 EC8 option	214 x 102 x 135 in	214 x 106 x 143 in	25,900 lb	VF-7/50 EC8 option
	544 x 259 x 343 cm	544 x 269 x 363 cm	11,750 kg	
VF-8/40	193 x 121 x 130 in	193 x 123 x 132 in	24,800 lb	VF-8/40
	490 x 307 x 330 cm	490 x 312 x 335 cm	11,250 kg	
VF-8/40 EC8 option	193 x 120 x 137 in	193 x 123 x 142 in	25,100 lb	VF-8/40 EC8 option
	490 x 305 x 348 cm	490 x 312 x 361 cm	11,385 kg	



Shipping Dimensions, Weight, and Crating Information

Vertical Machining Centers				
	Domestic Pallet L x W x H	Export Crate L x W x H	Weight	
VF-8/50	193 x 120 x 130 in	193 x 123 x 133 in	29,000 lb	VF-8/50
	490 x 305 x 330 cm	490 x 312 x 333 cm	13,160 kg	
VF-8/50 EC8 option	193 x 120 x 138 in	193 x 123 x 142 in	29,300 lb	VF-8/50 EC8 option
	490 x 305 x 351 cm	490 x 312 x 361 cm	13,290 kg	
VF-9/40	214 x 120 x 127 in	214 x 124 x 131 in	28,300 lb	VF-9/40
	544 x 305 x 323 cm	544 x 315 x 333 cm	12,840 kg	
VF-9/40 EC8 option	214 x 120 x 135 in	214 x 124 x 140 in	28,600 lb	VF-9/40 EC8 option
	544 x 305 x 343 cm	544 x 315 x 356 cm	12,975 kg	
VF-9/50	214 x 120 x 131 in	214 x 124 x 134 in	28,600 lb	VF-9/50
	544 x 305 x 333 cm	544 x 315 x 340 cm	12,975 kg	
VF-9/50 EC8 option	214 x 120 x 139 in	288 x 123 x 143 in	28,900 lb	VF-9/50 EC8 option
	544 x 305 x 353 cm	732 x 312 x 363 cm	13,110 kg	
VF-10/40	288 x 102 x 128 in	288 x 105 x 130 in	30,100 lb	VF-10/40
	732 x 259 x 325 cm	732 x 267 x 330 cm	13,655 kg	
VF-10/40 EC8 option	288 x 102 x 136 in	288 x 105 x 140 in	30,400 lb	VF-10/40 EC8 option
	732 x 259 x 345 cm	732 x 267 x 356 cm	13,790 kg	
VF-10/50	288 x 102 x 128 in	288 x 105 x 130 in	31,600 lb	VF-10/50
	732 x 259 x 325 cm	732 x 267 x 330 cm	14,330 kg	
VF-10/50 EC8 option	288 x 102 x 136 in	288 x 105 x 140 in	31,900 lb	VF-10/50 EC8 option
	732 x 259 x 345 cm	732 x 267 x 356 cm	14,470 kg	
VF-11/40	288 x 120 x 128 in	288 x 123 x 130 in	33,400 lb	VF-11/40
	732 x 305 x 325 cm	732 x 312 x 330 cm	15,150 kg	
VF-11/40 EC8 option	288 x 120 x 136 in	288 x 123 x 140 in	33,700 lb	VF-11/40 EC8 option
	732 x 305 x 345 cm	732 x 312 x 356 cm	15,290 kg	
VF-11/50	288 x 120 x 131 in	288 x 123 x 133 in	35,700 lb	VF-11/50
	732 x 305 x 333 cm	732 x 312 x 338 cm	16,200 kg	
VF-11/50 EC8 option	288 x 120 x 139 in	288 x 123 x 143 in	36,000 lb	VF-11/50 EC8 option
	732 x 305 x 353 cm	732 x 312 x 363 cm	16,330 kg	
VF-12/40	348 x 110 x 128 in	348 x 110 x 134 in	36,300 lb	VF-12/40
	884 x 279 x 325 cm	884 x 279 x 340 cm	16,465 kg	
VF-12/50	348 x 110 x 134 in	348 x 110 x 137 in	37,200 lb	VF-12/50
	884 x 279 x 340 cm	884 x 279 x 348 cm	16,880 kg	



Shipping Dimensions, Weight, and Crating Information

Vertical Machining Centers					
	Domestic Pallet L x W x H	Export Pallet L x W x H	Export Crate L x W x H	Weight	
VM-2	107 x 102 x 106 in	100 x 92 x 101 in	N/A	9,400 lb	VM-2
	272 x 259 x 269 cm	254 x 234 x 257 cm	N/A	4,260 kg	
VM-2 40+1 SMTC	107 x 102 x 110 in	N/A	107 x 102 x 116 in	9,700 lb	VM-3
	272 x 259 x 279 cm	N/A	272 x 259 x 295 cm	4,410 kg	
VM-3	156 x 102 x 125 in	N/A	156 x 102 x 127 in	15,300 lb	VM-3
	396 x 259 x 318 cm	N/A	396 x 259 x 323 cm	6,940 kg	
VM-3 40+1 SMTC	156 x 102 x 125 in	N/A	156 x 102 x 127 in	15,600 lb	VM-3 40+1 SMTC
	396 x 259 x 318 cm	N/A	396 x 259 x 323 cm	7,080 kg	
VM-6	195 x 105 x 126 in	N/A	195 x 105 x 130 in	24,000 lb	VM-6
	495 x 267 x 320 cm	N/A	495 x 267 x 330 cm	10,890 kg	
VM-6 40+1 SMTC	195 x 102 x 131 in	N/A	195 x 105 x 133 in	24,000 lb	VM-6
	495 x 259 x 333 cm	N/A	495 x 267 x 338 cm	10,890 kg	
UMC-750 UMC-750SS	160 x 94 x 110 in	157 x 92 x 101 in	N/A	19,100 lb	UMC-750 UMC-750SS
	406 x 239 x 279 cm	399 x 234 x 257 cm	N/A	8,665 kg	



Shipping Dimensions, Weight, and Crating Information

Vertical Machining Centers				
	Domestic Pallet L x W x H	Export Crate L x W x H	Weight	
GR-510	206 x 111 x 109 in	206 x 111 x 112 in	19,400 lb	GR-510
	523 x 282 x 277 cm	523 x 282 x 285 cm	8,800 kg	
GR-510 EC6	206 x 111 x 114 in	206 x 111 x 117 in	19,600 lb	GR-510
	523 x 282 x 290 cm	523 x 282 x 197 cm	8,910 kg	
GR-510 EZ24	206 x 111 x 125 in	206 x 111 x 130 in	20,000 lb	GR-510 EZ24
	523 x 282 x 318 cm	523 x 282 x 330 cm	9,070 kg	
GR-712	226 x 137 x 116 in	226 x 137 x 119 in	24,000 lb	GR-712
	574 x 348 x 295 cm	574 x 348 x 302 cm	10,890 kg	
GR-712 EZ24	226 x 137 x 124	226 x 137 x 137 in	24,600 lb	GR-712 EZ24
	574 x 348 x 315 cm	574 x 348 x 348 cm	11,160 kg	



Shipping Dimensions, Weight, and Crating Information

Horizontal Machining Centers				
	Domestic Pallet L x W x H	Export Crate L x W x H	Weight	
EC-400	202 x 102 x 113 in	202 x 102 x 116 in	22,300 lb	EC-400
	513 x 259 x 287 cm	513 x 259 x 295 cm	10,115 kg	
EC-400 Pallet Pool	N/A	178 x 92 x 100 in	9,000 lb	EC-400 Pallet Pool
	N/A	452 x 234 x 254 cm	4,080 kg	
EC-500	230 x 126 x 118 in	230 x 126 x 123 in	26,500 lb	EC-500
	584 x 320 x 300 cm	584 x 320 x 312 cm	13,650 kg	
EC-1600	192 x 152 x 136 in	192 x 144 x 137 in	30,000 lb	EC-1600
	488 x 386 x 345 cm	488 x 366 x 348 cm	16,195 kg	
EC-1600ZT	192 x 169 x 136 in	192 x 167 x 137 in	35,000 lb	EC-1600ZT
	488 x 429 x 345 cm	488 x 424 x 348 cm	16,000 kg	



Shipping Dimensions, Weight, and Crating Information

Lathes				
	Domestic Pallet L x W x H	Export Pallet L x W x H	Weight	
OL-1	79 x 52 x 77 in	79 x 52 x 77 in	1,700 lb	OL-1
	201 x 132 x 196 cm	201 x 132 x 196 cm	770 kg	
TL-1	92 x 69 x 87 in	92 x 69 x 87 in	4,900 lb	TL-1
	234 x 175 x 221 cm	234 x 175 x 221 cm	2,225 kg	
TL-2	111 x 83 x 87 in	111 x 83 x 87 in	5,900 lb	TL-2
	282 x 211 x 221 cm	282 x 211 x 221 cm	2,680 kg	
TL-3	143 x 90 x 94 in	143 x 90 x 94 in	9,000 lb	TL-3
	363 x 229 x 239 cm	363 x 229 x 239 cm	4,080 kg	
TL-3B	143 x 90 x 94 in	143 x 90 x 94 in	12,800 lb	TL-3B
	363 x 229 x 239 cm	363 x 229 x 239 cm	5,805 kg	
ST-10/Y ST-15	123 x 73 x 80 in	123 x 73 x 80 in	7,900 lb	ST-10/Y ST-15
	312 x 185 x 203 cm	312 x 185 x 203 cm	3,585 kg	
ST-20/Y ST-20SS/SSY ST-25/Y	142 x 90 x 89 in	143 x 90 x 89 in	12,300 lb	ST-20/Y ST-20SS/SSY ST-25/Y
	361 x 229 x 226 cm	363 x 229 x 226 cm	5,580 kg	
ST-30/Y ST-30SS/SSY ST-35/Y	171 x 90 x 98 in	171 x 90 x 98 in	14,300 lb	ST-30/Y ST-30SS/SSY ST-35/Y
	434 x 229 x 249 cm	434 x 229 x 249 cm	6,490 kg	
DS-30 DS-30Y	171 x 90 x 92 in	171 x 90 x 92 in	16,000 lb	DS-30 DS-30Y
	434 x 229 x 234 cm	434 x 229 x 234 cm	7,260 kg	
DS-30SS DS-30SSY	171 x 90 x 92 in	171 x 90 x 92 in	14,800 lb	DS-30SS DS-30SSY
	434 x 229 x 234 cm	434 x 229 x 234 cm	6,715 kg	
ST-40 ST-45	212 x 96 x 105 in	215 x 91 x 100 in	25,900 lb	ST-40 ST-45
	539 x 244 x 267 cm	546 x 231 x 254 cm	11,750 kg	
ST-40L ST-45L	254 x 95 x 105 in	249 x 90 x 100 in	29,900 lb	ST-40L ST-45L
	645 x 241 x 267 cm	632 x 229 x 254 cm	13,560 kg	
ST-50 ST-55	254 x 95 x 105 in	249 x 90 x 100 in	31,000 lb	ST-50 ST-55
	645 x 241 x 267 cm	632 x 229 x 254 cm	14,100 kg	



Shipping Dimensions, Weight, and Crating Information

Other Products			
	Domestic Pallet L x W x H	Export Crate L x W x H	Weight
EC-400/EC-400PP Chip Conveyor	N/A	95 x 37 x 51 in	500 lb
	N/A	241 x 94 x 130 cm	230 kg
EC-500 Chip Conveyor	90 x 31 x 45 in	95 x 37 x 51 in	700 lb
	229 x 79 x 114 cm	241 x 94 x 130 cm	320 kg
EC-1600 Chip Conveyor	N/A	127 x 39 x 86 in	900 lb
	N/A	323 x 99 x 218 cm	410 kg
Haas Bar Feeder	90 x 66 x 56 in	N/A	1200 lb
	229 x 168 x 142 cm	N/A	545 kg



Shipping Dimensions, Weight, and Crating Information

Rotary Products		
Model	Weight	Crate Dimension
		Length x Width x Height
HA2TS	420 lb (190 kg)	48 x 27 x 24 in (122 x 69 x 61 cm)
HA5C	55 lb (25 kg)	20 x 18 x 16 in (51 x 46 x 41 cm)
HA5C2	150 lb (70 kg)	27 x 21 x 21 in (69 x 53 x 53 cm)
HA5C3	280 lb (130 kg)	46 x 24 x 24 in (117 x 61 x 61 cm)
HA5C4	320 lb (145 kg)	46 x 24 x 24 in (117 x 61 x 61 cm)
HA5CS	55 lb (25 kg)	20 x 18 x 16 in (51 x 46 x 41 cm)
HRC160	150 lb (70 kg)	27 x 21 x 21 in (69 x 53 x 53 cm)
HRC210	195 lb (90 kg)	27 x 21 x 21 in (69 x 53 x 53 cm)
HRT160	140 lb (65kg)	27 x 21 x 21 in (69 x 53 x 53 cm)
HRT210	205 lb (95 kg)	27 x 21 x 21 in (69 x 53 x 53 cm)
HRT210M	195 lb (90 kg)	27 x 21 x 21 in (69 x 53 x 53 cm)
HRT310	510 lb (230 kg)	32 x 17 x 27 in (81 x 43 x 69 cm)
HRT450	930 lb (420 kg)	38 x 19 x 33 in (97 x 48 x 84 cm)
HRT600	1690 lb (770 kg)	48 x 39 x 25 in (122 x 99 x 64 cm)
HRT160-2	285 lb (130 kg)	46 x 24 x 24 in (117 x 61 x 61 cm)
HRT210-2	440 lb (200 kg)	46 x 24 x 24 in (117 x 61 x 61 cm)
HRT160SP	145 lb (65 kg)	21 x 17 x 21 in (53 x 43 x 53 cm)
HRT210SP	225 lb (105 kg)	21 x 17 x 21 in (53 x 43 x 53 cm)
HRT310SP	540 lb (245 kg)	25 x 25 x 29 in (64 x 64 x 74 cm)
HRT320FB	530 lb (240 kg)	32 x 17 x 27 in (81 x 43 x 69 cm)
HRTA5	145 lb (65 kg)	27 x 21 x 21 in (69 x 53 x 53 cm)
HRTA6	210 lb (95 klg)	27 x 21 x 21 in (69 x 53 x 53 cm)
T5C	355 lb (160 kg)	48 x 27 x 24 in (122 x 69 x 61 cm)
T5C2	470 lb (215 kg)	48 x 27 x 24 in (122 x 69 x 61 cm)
T5C3	535 lb (245 kg)	48 x 27 x 24 in (122 x 69 x 61 cm)
T5C4	620 lb (280 kg)	48 x 27 x 24 in (122 x 69 x 61 cm)
TRT100	250 lb (115 kg)	27 x 21 x 23 in (69 x 53 x 58 cm)
TRT160	465 lb (210 kg)	48 x 27 x 24 in (122 x 69 x 61 cm)
TRT210	800 lb (365 kg)	45 x 33 x 29 in (114 x 84 x 74 cm)
TR160	520 lb (235 kg)	49 x 21 x 25 in (125 x 53 x 64 cm)
TR160-2	575 lb (260 kg)	49 x 21 x 25 in (125 x 53 x 64 cm)
TR160-Y	465 lb (210 kg)	45 x 33 x 29 in (114 x 84 x 74 cm)
TR210	790 lb (360 kg)	58 x 23 x 27 in (147 x 58 x 69 cm)
TR310	2105 lb (960 kg)	70 x 30 x 34 in (178 x 76 x 86 cm)
CSMD	77 lb (35 kg)	30 x 25 x 14 in (76 x 64 x 36 cm)